

ALPHABETICAL INDEX

Alphabetical Index R1-R2

ALPHABETICAL
INDEX



Alphabetical Index

ANCHORS

AC 14	J12
Bruce FFTS MK 4	J15
Classification	J3
Delta	J13
Hall	J5
LWT	J7
Pool N	J10
Pool TW	J11
Selection	J2
Snug Stowing	J9
ST Offshore	J14
Stato-Moorfast	J8
Stockless	J4
Types	J1
Workboat	J6

ANODES

.....	P1-P4
-------	-------

ASSET MGMT

Document Control	A5
INFO Chip	A6-A8
Tracking System	A5

BASKET, SKID & TANK TESTING

.....	A4
-------	----

BRAIDED WIRE ROPE SLINGS

.....	A2,D30-D40
-------	------------

BRIDLES, WIRE ROPE

.....	D11-D18
-------	---------

BUOYS

Cylindrical, Steel	M3
Release Hooks	M4
Spherical, Plastic	M1
Spherical, Steel	M1-M2
Synthetic Resilient UPC	M5-M11

CHAIN

Chasers, Collar-Type	L19
Chasers, J-Lock 250 T	L18
Chasers, J-Type 110/130 T	L17
Grade 100 Alloy	F5
Grade 80 Alloy	F4
Grappels	L20
Open Link, U.S.C.G. Buoy Type	K6
Stopper, Devil's Claw Type Assembly	L14
Stopper, Pelican Hook Type Assembly	L13-L14
Stopper, Ulster (Pawl) Type	L13
Stud Link, Specifications	K1-K5

CHAIN SLINGS

Alloy Master Links	F7
Clevis Grab Hook	F11
Fittings	F1-F14
General Information	F1
Grade 80 Alloy Eye Grab Hook	F11
Grade 80 Alloy Eye Hooks	F9-F10
Grade 80 Alloy Latching Clevis Hook	F12
Grade 80 Alloy Latching Eye Chain Hook	F12
Grade 80 Components	F3
Grade 80 Configurations	F2
Hook Latch Kits	F14,G7-G9
Inspection	F1
Shur-Loc Hooks	F13
Welded Master Links	F8

CORDAGE

AmSteel-Blue	I28
Blue Steel Poly	I11
Braided - 12 Strand	I14
Braided - 8 Strand	I13
Detachable Thimble (Workhorse SRT)	B8,I32,L12
Double Braid	I12
General Information	I1-I3
Manila	I10
Mooring Connector (Workhorse SRC)	B8,I32,L12
Neutron-8	I27
Nylite Spool, Shield, Shackle & Snatch Block	I29
Nylon Polyester - 3 Strand	I9
Poly/Dac - Ice Blue	I8
Polypro-Blue & Black/Manilla	I7
Polypro-Monofilament/Film	I6
Quantum-12	I31
Quantum-8	I24
Selection Guide	I5
Specifications	I4

Specification - Rope Standards	I15-I18
Splicing Instructions	I19-I22
Stable Braid	I25
Super Strong	I26
Tools	I23
Turbo-75	I30

CRANE WIRE ROPES

.....	C18-C25
-------	---------

CROSBY SHACKLES

.....	H1-H11
-------	--------

DECK FITTINGS

Chock, Button	O15
Chock, Button, Roller	O16
Chock, Panama	O9-O12
Double Bitts	O7-O8
D-Rings	O5
Hatches	O13-O14
Kevels	O6

ENGINEERED LIFTS

.....	A2
-------	----

ENGINEERING SERVICES

.....	A10
-------	-----

FABRICATION

.....	A10
-------	-----

FENDERS

Marine Cushion	N1-N2
Marine Guard	N3-N4
Monopile Donut	N5-N6
Repair	A9

GREEN PIN SHACKLES

.....	H12-H22,L2
-------	------------

HOOKS

Anchor Line (LBNO)	B14,L16
Choker	G12
Clevis Grab	F11
Grade 80 Alloy Eye	F9-F10,G2-G3
Grade 80 Alloy Eye Grab	F11
Grade 80 Alloy Latching Clevis	F12
Grade 80 Alloy Latching Eye Chain	F12
Latch Kits	F14,G7-G9
ROV	B15,L4
Shur-Loc	F13,G5-G6
Sliding Choker, Braided Slings (LBNO)	B12,G11
Sliding Choker, Single Rope Slings, (LBNO)	B11,G10
Sorting (LBNO)	B13,G13
Swivel	G4

INFO CHIP (RFID)

Desktop	A6
Online	A7
Reader	A8

LINKS

Chain Shortener Grade 100	F6
Coupler Grade 100	F4,F6
C-Type Connector	K8
D-Type Anchor Joining	K11
Hinge	L11
Kenter Connector	K7
Kenter Pear Link	K10
Lok-A-Loy Grade 80 & 100	F4,F5
Pear Link	K9
Synthetic Rope (Workhorse SRC)	B8,I32,L12
Trident Thin Connectors	K12

LOAD TESTING

.....	A3
-------	----

MASTER LINKS

Alloy with Sub-Assembly	F7,G1
Welded with Sub-Assembly	F8

MOORING SERVICES

.....	A1
-------	----

NYLON WEB SLINGS

Aluminum Hardware	E9
Boat Lifting	E13
Cargo Type	E7
Cargo Winches	E17
Eye & Eye	E4
Fittings	E11-E12
Grommet	E5
Inspection	E10
Ratchet Buckles	E15-E16
Return Eye	E6
Specifications	E3
Steel Hardware	E8
Strap Ordering	E18
Truck Straps	E14
Usage	E1-E2

PELICAN HOOK CHAIN STOPPER & ASSEMBLY

.....	L13-L14
-------	---------

Alphabetical Index

Piles, Composite	O17
Portable Spooling Services	A9
Ratchets, River	O4
Release Hooks	M4
Rigging Services	A1
Rotation Resistant Wire Rope	C12-C14
Round Slings	
Round Slings, Inspectable	E38-E43
Round Slings, Polyester Single-Path	E19
Round Slings, Polyester, Inspection	E20
Shackles	
Chain, Safety (LBNO)	B10
Crosby	H1-H11
Green Pin	H12-H22,L2
Mambo	L10
Modeer	L10
Towing, Forged (LBNO)	B9,H23,L1
Sleeves, Swaging	G18-G19
SlingMax Slings	
Check-Fast Inspection	E24
Fast Inspection	E23
G-Link Connector	E32
K-Spec	E36
Twin-Path	E21
Twin-Path Adjustable Bridle	E27-E28
Twin-Path CornerMax Pads	E30
Twin-Path CornerMax Sleeve	E31
Twin-Path CoverMax	E25
Twin-Path Environmental Considerations	E35
Twin-Path Extra CoverMax	E22
Twin-Path Eye & Eye	E26
Twin-Path Fiber Optic Inspection	E29
Twin-Path Flip Over	E33
Twin-Path Inspections & Testing	E37
Twin-Path Mechanical Considerations	E34
Twin-Path Shackle Pin Pads	E29
Twin-Path Two Leg	E26
Twin-Path, Sparkeater	E25
Sockets	
Mooring, "Pee Wee®"	B1-B2,G31-G32,L5-L6
Spelter, Closed	B3,G29-G30
Spelter, Open	B4,G27-G28
Swage	G25-G26
Wedge	B5,G20-G24
Spooling, Portable	A9
Spreader Bars	A2
Swivels	
CR Chain	K14,L9
Deepwater Bearing	L7-L8
Shipboard	K13
Super Box	K15
Synthetic Ropes (see "Cordage")	
Synthetic Slings	
Nylon Web	E1-E18

Round	E19-E20, E38-E43
SlingMax	E21-E37
Testing	
Basket, Skid & Tank	A4
Load	A3
Recertification	A5
Thimbles	
Synthetic Rope (LBNO)	B7
Synthetic Rope, Detachable (Workhorse SRT)	B8,I32,L12
Synthetic Rope Roulette	L11
Wire Rope	B6,G16-G17
Timbers, Composite	O18
Towing Plates	L3
Turnbuckles	O1-O3
Warranties & Warnings	Q1-Q3
Wire Rope	
6-Pac & 6-Pac RV	C16
6x19 Class	C7,C8
6x36 Class	C7,C9
6x61 Class	C10
6x91 Class	C10
Alternate Lay	C11
Carpenter Stopper	L15
Common Terms	C5
Core Types & Lubrication	C3
Crane Ropes	C18-C25
How to Order	C6
Measuring & Tolerance	C4
Rotation Resistant	C12-C14
Selection	C1-C2
Specialized	C15
Standard Abbreviations	C6
Triple-Pac	C17
Wire Rope Clips	
Attachment	G15
Drop Forged	G14
Wire Rope Slings	
Braided	A2,D30-D40
Bridles	D11-D18
Care	D5
Certificate Representations & Warranties	D2
Choker Hitch	D8
Code Identities	D9-D10
Definitions & Warnings	D3
Disclaimer of Warranties	D1
General Discussion	D4
Grommets Specifications	D27-D29
Inspection Guidelines	D6
Rigger Guidelines	D7
Spelter Sockets Specifications	D19-D20
Spelter Sockets, Wirelock Resin	D21-D23,G33
Swage Sockets Specifications	D24-D26
Swaging	G18-G19

NOTES

Handwritten notes area with horizontal lines.

